

FITTINGS

Wide range of connecting tubes, unions, reductions, taps, elbows, distributors, bolts..., for uses on medium and low pressure hydraulic installations.

	DESCRIPTION	Reference	Size
	3-ways "Y" connecting tube	106.100.808.00	ø8 x 8 x 8 mm
		106.101.008.00	ø10 x 8 x 8 mm
	Distributor	106.150.208.00	H 1/4" ø8 mm
		106.150.308.00	H 3/8" ø8 mm
		106.150.203.00	H 1/4" - T L 3/8"
		106.150.203.03	H 3/8" - T L 3/8"
	Connecting tube with winged bolt	106.200.308.00	H 3/8" ø8 mm
		106.200.508.00	H 1/2" ø8 mm
		106.200.510.00	H 1/2" ø10 mm
		106.200.512.00	H 1/2" ø12 mm
	Double connecting tube	106.240.805.00	ø8 mm P/T 1/2"
		106.241.005.00	ø10 mm P/T 1/2"
		106.241.205.00	ø12 mm P/T 1/2"
		106.241.605.00	ø16 mm P/T 1/2"
		106.241.607.00	ø16 mm P/T 3/4"
	Standard connecting tube	106.250.805.00	ø8 mm
		106.251.005.00	ø10 mm
		106.251.205.00	ø12 mm
		106.190.120.18	O.R. estandar
	Threaded connecting tube	106.260.508.00	1/2" BSP ø8 mm
		106.260.510.00	1/2" BSP ø10 mm
		106.260.512.00	1/2" BSP ø12 mm
	Double union	106.300.808.00	ø8 mm
		106.301.010.00	ø10 mm
		106.301.212.00	ø12 mm
		106.301.616.00	O.R. estandar

FITTINGS



DESCRIPTION	Reference	Size
Simple union	106.310.808.00	ø8 mm
	106.311.010.00	ø10 mm
Elbow with bolt	106.360.510.00	1/2" BSP ø10 mm
	106.360.512.00	1/2" BSP ø13 mm
Combined connection	106.320.808.00	ø8 mm
	106.321.010.00	ø10 mm
	106.321.212.00	ø12 mm
Male-female elbow	106.330.505.00	90° M-H 1/2" BSP
Male-male elbow	106.340.505.00	90° M-M 1/2" BSP
Male-male elbow	106.330.505.00	45° M-M 1/2" BSP
Fitting in "T" female	106.380.500.00	H 1/2" BSP
5 outlets distributor	106.395.050.00	H 1/2" BSP
"Y" fitting	106.110.500.00	M 1/2" BSP
"Y" fitting (bolt with wings)	106.120.200.00	M 1/2" BSP
Brass male reinforced union	106.330.008.00	M 3/8"-3/8" BSP
	106.400.500.00	M 1/2"-1/2" BSP
	106.400.510.00	M 1/2"-1/2" BSP
	106.400.750.00	M 3/4"-3/4" BSP

FITTINGS

	DESCRIPTION	Reference	Size
	Brass male union	106.410.375.00	M 3/8"-3/8" BSP
		106.410.500.00	M 1/2"-1/2" BSP
		106.410.750.00	M 3/4"-3/4" BSP
		106.411.000.00	M 1"-1" BSP
		106.411.250.00	M 1 1/4"-1 1/4" BSP
		106.411.500.00	M 1 1/2"-1 1/2" BSP
		106.412.000.00	M 2"-2" BSP
	Brass male reduction reinforced and standard	106.430.503.00	M 1/2"-3/8" BSP
		106.430.705.00	M 1/2"-3/4" BSP
		106.431.207.00	M 3/4"-1 1/4" BSP
		106.431.012.00	M 1"-1 1/4" BSP
		106.431.510.00	M 1"-1 1/2" BSP
	Two-eared clamp	906.610.911.00	9/11
		906.611.315.00	13/15
		906.611.518.00	15/18
		906.611.720.00	17/20
		906.611.821.00	18/21
		906.612.023.00	20/23
		906.612.255.00	22/25
		906.612.528.00	25/28
		906.612.831.00	28/31
	Rubber fitting joint, aluminium and copper washer	9.918.028	11 x 18 x 4 mm
		106.502.500.20	11 x 18 x 2 mm
		106.231.101.30	13 x 18 x 2 mm
		106.111.101.20	21 x 125 x 2 mm
	Bolt and bolt with edges	106.280.500.00	1/2" BSP ø8/10/12 mm
		106.280.510.00	1/2" BSP ø16 mm
		106.280.750.00	3/4" BSP ø16 mm
	Bolt with wings	106.290.500.00	H 1/2" BSP
	Female coupling	106.500.500.00	H 1/2" BSP
	Female tap	106.520.500.00	H 1/2" BSP